




**AL COPPICE**  
**ALUPACK**


Export Catalogue



**COPPICE** - The new leader in packaging.  
Innovative, confident and ambitious, we create solutions that are high quality, cost effective and sustainable, giving our customers the edge over their competition.




Our main material, aluminium, is endlessly sustainable and 100% recyclable'



# SMOOTHWALL

- ▶ SUITABLE FOR GAS FLUSHING, MAP, CAP AND VACUUM PACKING-RESULTING IN EXTENDED SHELF LIFE
- ▶ 100% RECYCLABLE AND IS ENVIRONMENTALLY FRIENDLY
- ▶ PRODUCT CAN BE FILM SEALED AND PLASTIC FLAT OR DOMED LIDS CAN BE PROVIDED
- ▶ HEAT RESISTANT TO 400°C - SUITABLE FOR GRILLING, BBQ COOKING AND OVEN COOKING
- ▶ MICROWAVABLE WITH AN APPROPRIATE MODERN STYLE DOMESTIC MICROWAVE OVEN TO REDUCE COOKING TIME
- ▶ EXCELLENT CONDUCTOR OF HEAT - SPEEDS UP THE COOKING PROCESS AND REDUCES ENERGY COST
- ▶ NOT AFFECTED BY EXTREME FREEZING -40°C OR HIGH COOKING TEMPERATURES AND WILL NOT BECOME BRITTLE, SOFT OR LOSE ITS RIGIDITY



# SMOOTHWALL

## 1300SPL



100%



<b>338</b>	<b>11.42</b>
179x142	7.04x5.59
155x118	6.10x4.64
149x112	5.86x4.40
20 0	0.78

## 1302SPL



100%



<b>557</b>	<b>21.9</b>
167x125	6.57x4.92
149x107	5.86x4.21
138x96	5.43x3.77
39	1.53

## 320SPL



100%



<b>573</b>	<b>19.37</b>
150 x 125	5.91 x 4.92
132 x 107	5.20 x 4.21
119 x 94	4.69 x 3.7
50	1.97

BA 582R PL PL 610 R PL

## CS440600



100%



<b>600</b>	<b>20.28</b>
160x123	6.29x4.84
144x107	5.66x4.21
131x94	5.15 x 3.7
45	1.77

PD11011MOD3 PLAIN BASE

## 1304SPL



100%



<b>612</b>	<b>20.69</b>
178x136	7.01x5.35
164x122	6.46x4.80
155x113	6.10x4.45
34	1.34

## 371SPL



100%



<b>656</b>	<b>22.18</b>
198x108	7.8 x 4.25
182x92	7.17x3.62
166x76	6.54x2.99
50	1.97

PO650RPL PL650 R PL

## 357SPL



100%



<b>725</b>	<b>24.51</b>
234 x 138	9.21 x 5.43
218 x 122	8.58 x 4.8
210 x 114	8.26 x 4.48
30	1.18

R PL 725 R PL

## 322SPL



100%



<b>790</b>	<b>26.71</b>
178x136	7.01x5.35
164x122	6.46x4.80
151x109	5.94x4.29
45	1.77

## 362SPL



100%



<b>800</b>	<b>27.05</b>
220 x 150	8.66 x 5.91
202 x 132	7.95 x 5.20
191 x 121	7.52 x 4.49
34	1.34

R

## 1306SPL



100%



<b>870</b>	<b>29.41</b>
183 x 171	7.20 x 6.73
166 x 154	6.53 x 6.06
152 x 140	5.98 x 5.51
39	1.53

## 323SPL



100%



<b>895</b>	<b>30.26</b>
197 x 155	7.76 x 6.1
179 x 137	7.05 x 5.39
168 x 126	6.61 x 4.96
40	1.57

PL 895 R PL

## 359SPL



100%



<b>980</b>	<b>33.13</b>
200 x 155	7.87 x 6.10
184 x 139	7.24 x 5.47
172 x 126	6.77 x 4.96
45	1.77

PL 950 R PL

# SMOOTHWALL FOIL TRAYS

KEY VOLUME (cc & fl.oz.) TOP TOP BAS DEPTH (mm & )



**1307SPL**

980	<b>33.13</b>
188x147	7.40 x 5.79
172x131	6.77 x 5.16
157x116	6.18 x 4.57
50	1.97

R

100%



**358SPL**

1000	<b>33.81</b>
234x138	9.21 x 5.43
218x122	8.58 x 4.80
206 x 110	8.11 x 4.33
43	1.69

R NR

PL 1000 R PL

100%



**1308SPL**

1025	<b>34.65</b>
221x168	8.70 x 6.61
199x146	7.83 x 5.75
188x136	7.40 x 5.35
38	1.50

100%



**CS441045**

1045	<b>35.34</b>
220 x 150	8.66 x 5.91
202 x 132	7.95 x 5.20
187 x 117	7.37 x 4.62
45	1.77

100%



**365SPL**

1060	<b>35.84</b>
220 x 150	8.66x5.91
202 x 132	7.95x5.20
188 x 118	7.40x4.65
45	1.77

R

100%



**375SPL**

1063	<b>35.94</b>
218 x 126	8.58 x 4.96
202 x 110	7.95 x 4.33
187 x 95	7.36 x 3.74
60	2.36

PO 1000 R PL

100%



**1310SPL**

1120	<b>37.87</b>
239 x 167	9.40 x 6.57
220 x 148	8.66 x 5.82
210 x 138	8.26 x 5.43

R

100%



**381SPL**

1124	<b>38.00</b>
220 x 130	8.66 x 5.11
202 x 112	7.95 x 4.40
188 x 98	7.40 x 3.85
2.28	

T

PL 800 R PL

100%



**367SPL**

1145	<b>38.71</b>
265x162	10.43 x 6.38
247x144	9.72 x 5.66
237x134	9.33 x 5.27
37	1.45

R

PG 1/4 1135F

100%



**1311SPL**

1150	<b>38.88</b>
234 x 138	9.21 x 5.43
218 x 122	8.58 x 4.80
202 x 106	7.95 x 4.17
50	1.96

PL 1100 R PL

100%



**CS441160**

1160	<b>39.22</b>
178 x 136	7.01 x 5.35
164 x 122	6.46 x 4.80
145 x 103	5.71 x 4.06
70	2.76

RNRD

PL 1600 RPL

100%



**CS441165**

1165	<b>39.39</b>
237 x 182	9.33 x 7.16
220 x 165	8.66 x 6.49
210 x 155	8.26 x 6.10
35	1.37

D




PL 1165 RPL

100%



# smoothwal

## SMOOTHWALL FOIL TRAYS

 <p>100%</p> <p><b>377SPL</b></p> <table border="1"> <tr><td></td><td><b>1190</b></td><td><b>40.23</b></td></tr> <tr><td></td><td>218 x 126</td><td>8.58 x 4.96</td></tr> <tr><td></td><td>202 x 110</td><td>7.95 x 4.33</td></tr> <tr><td></td><td>182 x 90</td><td>7.16 x 3.54</td></tr> <tr><td></td><td>70</td><td>2.75</td></tr> </table> <p>PO 1190RPL</p>		<b>1190</b>	<b>40.23</b>		218 x 126	8.58 x 4.96		202 x 110	7.95 x 4.33		182 x 90	7.16 x 3.54		70	2.75	 <p>100%</p> <p><b>1313SPL</b></p> <table border="1"> <tr><td></td><td><b>1240</b></td><td><b>41.92</b></td></tr> <tr><td></td><td>221 x 168</td><td>8.70 x 6.61</td></tr> <tr><td></td><td>199 x 146</td><td>7.83 x 5.75</td></tr> <tr><td></td><td>186 x 134</td><td>7.32 x 5.28</td></tr> <tr><td></td><td>47</td><td>1.85</td></tr> </table> <p>PL1240 RPL</p>		<b>1240</b>	<b>41.92</b>		221 x 168	8.70 x 6.61		199 x 146	7.83 x 5.75		186 x 134	7.32 x 5.28		47	1.85	 <p>100%</p> <p><b>1314SPL</b></p> <table border="1"> <tr><td></td><td><b>1254</b></td><td><b>42.40</b></td></tr> <tr><td></td><td>220 x 170</td><td>8.66 x 6.69</td></tr> <tr><td></td><td>201 x 151</td><td>7.91 x 5.94</td></tr> <tr><td></td><td>190 x 140</td><td>7.48 x 5.51</td></tr> <tr><td></td><td>45</td><td>1.77</td></tr> </table> <p>R</p>		<b>1254</b>	<b>42.40</b>		220 x 170	8.66 x 6.69		201 x 151	7.91 x 5.94		190 x 140	7.48 x 5.51		45	1.77
	<b>1190</b>	<b>40.23</b>																																													
	218 x 126	8.58 x 4.96																																													
	202 x 110	7.95 x 4.33																																													
	182 x 90	7.16 x 3.54																																													
	70	2.75																																													
	<b>1240</b>	<b>41.92</b>																																													
	221 x 168	8.70 x 6.61																																													
	199 x 146	7.83 x 5.75																																													
	186 x 134	7.32 x 5.28																																													
	47	1.85																																													
	<b>1254</b>	<b>42.40</b>																																													
	220 x 170	8.66 x 6.69																																													
	201 x 151	7.91 x 5.94																																													
	190 x 140	7.48 x 5.51																																													
	45	1.77																																													
 <p>100%</p> <p><b>1315SPL</b></p> <table border="1"> <tr><td></td><td><b>1280</b></td><td><b>43.28</b></td></tr> <tr><td></td><td>200 x 155</td><td>7.87 x 6.10</td></tr> <tr><td></td><td>184 x 139</td><td>7.24 x 5.47</td></tr> <tr><td></td><td>170 x 125</td><td>6.69 x 4.92</td></tr> <tr><td></td><td>60</td><td>2.36</td></tr> </table> <p>PL 1280 RPL</p>		<b>1280</b>	<b>43.28</b>		200 x 155	7.87 x 6.10		184 x 139	7.24 x 5.47		170 x 125	6.69 x 4.92		60	2.36	 <p>100%</p> <p><b>1350SPL</b></p> <table border="1"> <tr><td></td><td><b>1300</b></td><td><b>43.96</b></td></tr> <tr><td></td><td>197 x 197</td><td>7.76 x 7.76</td></tr> <tr><td></td><td>181 x 181</td><td>7.13 x 7.13</td></tr> <tr><td></td><td>167.5 x 167.5</td><td>6.59 x 6.59</td></tr> <tr><td></td><td>45</td><td>1.77</td></tr> </table>		<b>1300</b>	<b>43.96</b>		197 x 197	7.76 x 7.76		181 x 181	7.13 x 7.13		167.5 x 167.5	6.59 x 6.59		45	1.77	 <p>100%</p> <p><b>1316SPL</b></p> <table border="1"> <tr><td></td><td><b>1350</b></td><td><b>45.64</b></td></tr> <tr><td></td><td>260 x 177</td><td>10.24 x 6.97</td></tr> <tr><td></td><td>243 x 160</td><td>9.57 x 6.3</td></tr> <tr><td></td><td>233 x 150</td><td>9.17 x 5.91</td></tr> <tr><td></td><td>37</td><td>1.46</td></tr> </table> <p>R NR PL 1350 GRILL</p>		<b>1350</b>	<b>45.64</b>		260 x 177	10.24 x 6.97		243 x 160	9.57 x 6.3		233 x 150	9.17 x 5.91		37	1.46
	<b>1280</b>	<b>43.28</b>																																													
	200 x 155	7.87 x 6.10																																													
	184 x 139	7.24 x 5.47																																													
	170 x 125	6.69 x 4.92																																													
	60	2.36																																													
	<b>1300</b>	<b>43.96</b>																																													
	197 x 197	7.76 x 7.76																																													
	181 x 181	7.13 x 7.13																																													
	167.5 x 167.5	6.59 x 6.59																																													
	45	1.77																																													
	<b>1350</b>	<b>45.64</b>																																													
	260 x 177	10.24 x 6.97																																													
	243 x 160	9.57 x 6.3																																													
	233 x 150	9.17 x 5.91																																													
	37	1.46																																													
 <p>100%</p> <p><b>383SPL</b></p> <table border="1"> <tr><td></td><td><b>1357</b></td><td><b>45.88</b></td></tr> <tr><td></td><td>220 x 130</td><td>8.66 x 5.11</td></tr> <tr><td></td><td>202 x 112</td><td>7.95 x 4.40</td></tr> <tr><td></td><td>190 x 100</td><td>7.48 x 3.93</td></tr> <tr><td></td><td>70</td><td>2.75</td></tr> </table> <p>PL 1320RPL</p>		<b>1357</b>	<b>45.88</b>		220 x 130	8.66 x 5.11		202 x 112	7.95 x 4.40		190 x 100	7.48 x 3.93		70	2.75	 <p>100%</p> <p><b>369SPL</b></p> <table border="1"> <tr><td></td><td><b>1450</b></td><td><b>49.03</b></td></tr> <tr><td></td><td>265 x 162</td><td>10.43 x 6.38</td></tr> <tr><td></td><td>247 x 144</td><td>9.72 x 5.67</td></tr> <tr><td></td><td>233.8 x 130.8</td><td>9.20 x 5.15</td></tr> <tr><td></td><td>47</td><td>1.85</td></tr> </table>		<b>1450</b>	<b>49.03</b>		265 x 162	10.43 x 6.38		247 x 144	9.72 x 5.67		233.8 x 130.8	9.20 x 5.15		47	1.85	 <p>100%</p> <p><b>1317SPL</b></p> <table border="1"> <tr><td></td><td><b>1467</b></td><td><b>49.60</b></td></tr> <tr><td></td><td>239 x 167</td><td>9.40 x 6.57</td></tr> <tr><td></td><td>220 x 148</td><td>8.66 x 5.83</td></tr> <tr><td></td><td>207 x 135</td><td>8.15 x 5.31</td></tr> <tr><td></td><td>50</td><td>1.97</td></tr> </table> <p>R</p>		<b>1467</b>	<b>49.60</b>		239 x 167	9.40 x 6.57		220 x 148	8.66 x 5.83		207 x 135	8.15 x 5.31		50	1.97
	<b>1357</b>	<b>45.88</b>																																													
	220 x 130	8.66 x 5.11																																													
	202 x 112	7.95 x 4.40																																													
	190 x 100	7.48 x 3.93																																													
	70	2.75																																													
	<b>1450</b>	<b>49.03</b>																																													
	265 x 162	10.43 x 6.38																																													
	247 x 144	9.72 x 5.67																																													
	233.8 x 130.8	9.20 x 5.15																																													
	47	1.85																																													
	<b>1467</b>	<b>49.60</b>																																													
	239 x 167	9.40 x 6.57																																													
	220 x 148	8.66 x 5.83																																													
	207 x 135	8.15 x 5.31																																													
	50	1.97																																													
 <p>100%</p> <p><b>1318SPL</b></p> <table border="1"> <tr><td></td><td><b>1485</b></td><td><b>50.21</b></td></tr> <tr><td></td><td>236 x 185</td><td>9.29 x 7.28</td></tr> <tr><td></td><td>218 x 167</td><td>8.58 x 6.57</td></tr> <tr><td></td><td>202 x 151</td><td>7.95 x 5.94</td></tr> <tr><td></td><td>46</td><td>1.81</td></tr> </table>		<b>1485</b>	<b>50.21</b>		236 x 185	9.29 x 7.28		218 x 167	8.58 x 6.57		202 x 151	7.95 x 5.94		46	1.81	 <p>100%</p> <p><b>CS441486</b></p> <table border="1"> <tr><td></td><td><b>1486</b></td><td><b>50.24</b></td></tr> <tr><td></td><td>244 x 149</td><td>9.60 x 5.86</td></tr> <tr><td></td><td>224 x 132</td><td>8.81 x 5.19</td></tr> <tr><td></td><td>210 x 118</td><td>8.26 x 4.64</td></tr> <tr><td></td><td>58</td><td>2.28</td></tr> </table> <p>PL 1486 RPL</p>		<b>1486</b>	<b>50.24</b>		244 x 149	9.60 x 5.86		224 x 132	8.81 x 5.19		210 x 118	8.26 x 4.64		58	2.28	 <p>100%</p> <p><b>CS441600</b></p> <table border="1"> <tr><td></td><td><b>1600</b></td><td><b>54.10</b></td></tr> <tr><td></td><td>220 x 150</td><td>8.66 x 5.91</td></tr> <tr><td></td><td>202 x 132</td><td>7.95 x 5.24</td></tr> <tr><td></td><td>184 x 114</td><td>7.24 x 4.49</td></tr> <tr><td></td><td>70</td><td>2.76</td></tr> </table> <p>RNRD PL 1600RPL</p>		<b>1600</b>	<b>54.10</b>		220 x 150	8.66 x 5.91		202 x 132	7.95 x 5.24		184 x 114	7.24 x 4.49		70	2.76
	<b>1485</b>	<b>50.21</b>																																													
	236 x 185	9.29 x 7.28																																													
	218 x 167	8.58 x 6.57																																													
	202 x 151	7.95 x 5.94																																													
	46	1.81																																													
	<b>1486</b>	<b>50.24</b>																																													
	244 x 149	9.60 x 5.86																																													
	224 x 132	8.81 x 5.19																																													
	210 x 118	8.26 x 4.64																																													
	58	2.28																																													
	<b>1600</b>	<b>54.10</b>																																													
	220 x 150	8.66 x 5.91																																													
	202 x 132	7.95 x 5.24																																													
	184 x 114	7.24 x 4.49																																													
	70	2.76																																													






FEATURES KEY: \* = LANCING, E = EMBOSSED, O = HOLE IN BASE, C = COLOURED, J = PRINTED, L = LACQUERED, P = PERSONALIZABLE, X = CUSTOMER EXCLUSIVE, R = RIDGED BASE, D = DIMPLED BASE, T = TRIVET, V = VISIOPAC®

# SMOOTHWALL FOIL TRAYS

KEY  VOLUME (cc & fl.oz.)  TOP  BAS  DEPTH (mm & in.)








**CS441740**

	<b>1740</b>	<b>58.84</b>
	274x174	10.79 x 6.85
	256x156	10.63 x 6.14
	240x140	9.45 x 5.52
	50	1.79

 100%



**324SPL**






	<b>1771</b>	<b>59.88</b>
	260x177	10.24 x 6.97
	243x160	9.57 x 6.3
	230x147	9.06 x 5.79
	50	1.97

PL 1770RPL

 100%








**382SPL**

	<b>1800</b>	<b>60.87</b>
	265x162	10.43 x 6.38
	247x144	9.72 x 5.67
	230x127	9.07 x 5.02
	58	2.28

 100%



**1322SPL**






	<b>1857</b>	<b>62.79</b>
	221x168	8.70x6.61
	199x146	7.83x5.75
	178 x 125	7.01x4.92
	76	2.99

PL 1860RPL

 100%








**CS441925**

	<b>1900</b>	<b>64.25</b>
	220x150	8.66x5.91
	202x132	7.95x5.20
	178x108	7.02x4.26
	90	3.54

 100%








**1323SPL**

	<b>1980</b>	<b>66.95</b>
	293x193	11.54x7.60
	279x179	10.98x7.05
	265x165	10.43 x 6.50
	45	1.77

 100%



**1324SPL**






	<b>1990</b>	<b>67.28</b>
	329x206	12.95x8.11
	312x189	12.28x7.44
	303x180	11.93 x 7.09
	36	1.42

R

 100%



**EURO 1/4 2000 RPL**

	<b>2000</b>	<b>67.62</b>
	293 x 193	11.54 x 7.6
	279 x 179	10.98 x 7.05
	266 x 166	10.47 x 6.54
	45	1.77

EC442000

 100%



**1326SPL**

	<b>2110</b>	<b>71.34</b>
	293x191	11.54 x 7.52
	255x175	10.04 x 6.89
	241.5x161.5	9.51 x 6.36
	55	2.17

 100%








**CS442240**

	<b>2240</b>	<b>75.74</b>
	265 x 165	10.43 x 6.49
	247 x 147	9.72 x 5.78
	224.5 x 124.5	8.83 x 4.90
	75	2.95

 100%



**1327SPL**






	<b>2141</b>	<b>72.39</b>
	270 x 190	10.63 x 7.48
	255 x 175	10.04 x 6.90
	241 x 161	9.50 x 6.30
	55	2.20

PL2261 RPL

 100%



**1329SPL**

	<b>2559</b>	<b>86.53</b>
	270 x 190	10.63 x 7.48
	255 x 175	10.04 x 6.89
	240 x 160	9.44 x 6.29
	67	2.63

D

 100%





ROUND

	<b>301SPL</b>	50	44	40	13	<b>14cc</b>	Plain	
	<b>302SPL</b>	50	45	39	18	<b>24cc</b>	Plain	
	<b>307SPL</b>	89	79	56.5	37.5	<b>144cc</b>	Plain	Available in Black
	<b>306SPL</b>	110	100	95	18	<b>150cc</b>	Plain	R59-18, Lanced Base available
	<b>309SPL</b>	192	182	176	22	<b>550cc</b>	Plain	R61-22, Lanced Base available, See also 311SPL
	<b>311SPL</b>	192	182	176	26	<b>600cc</b>	Plain	R61-26 See also 309SPL
	<b>312SPL</b>	174	154	136	43	<b>715cc</b>	Plain	R60-44 Clip-on Lid Available
	<b>310SPL</b>	195	185	179	29	<b>750cc</b>	Plain	Lanced Base available
	<b>315SPL</b>	196	180	162	55	<b>1260cc</b>	Plain	R61-55

## Features & Benefits

Plastic clip on lids available for a wide range of products, see comments

Designed to be heat sealed with lidding film and may also be used with PET clip-on lid format

Trays can be gas flushed and modified atmosphere packed (MAP) for extended shelf life

Ideally suited for chicken, fish, red meat, ready meals, prepared vegetables, pasta and deli counter ranges  
Premium added value packaging format for ready to cook ranges

Aluminium perfectly suited for oven cooking, grilling, roasting and BBQ

Smoothwall trays are ideal for chilled, frozen and ambient foods

Aluminium is 100% recyclable



# COPPICE SMOOTHWALL



RECTANGULAR

Product Image	Product Code	Top Out L (mm) x W (mm)	Top In L (mm) x W (mm)	Base L (mm) x W (mm)	Depth (mm)	Capacity	Base Style	Alternative Description & Comments
	<b>353SPL</b>	171x103	162x94	130x63	35	<b>400cc</b>	Plain	
	<b>320SPL</b>	150x125	132x107	119x94	50	<b>550cc</b>	Plain	278-50 Clip-on Lid Available Available in Black
	<b>321SPL</b>	178x136	164x122	153x111	32	<b>556cc</b>	Plain	279-32 See also 322SPL Clip-on Lid Available
	<b>361SPL</b>	277x184	251x158	244x151	20	<b>630cc</b>	Plain	249-20
	<b>357SPL</b>	234x138	218x122	210x114	30	<b>725cc</b>	Plain	271-30 See also 358SPL Clip-on Lid Available
	<b>322SPL</b>	178x136	166x122	150x115	45	<b>730cc</b>	Plain	279-45 See also 321SPL Clip-on Lid Available Available in Black
	<b>362SPL</b>	220x150	201x131	190x120	33	<b>800cc</b>	Plain	272-33 See also 368SPL & 365SPL & 364SPL Clip-on Lid Available Available in Black
	<b>327SPL</b>	179x139	162x122	152x112	48	<b>828cc</b>	Plain	D24-48 Match to Plastic Tray
	<b>323SPL</b>	197x155	179x137	168x126	40	<b>895cc</b>	Plain	D2-40 Match to Plastic Tray
	<b>359SPL</b>	200x155	184x139	172x126	45	<b>980cc</b>	Plain	C2200 Match to Plastic Tray



**Coppice Alupack Ltd**  
Isfryn Industrial Estate, Blackmill,  
Bridgend, Mid Glamorgan CF35 6EQ

Tel +44 (0) 1656 840711  
Email sales@coppicealupack.co.uk







www.coppicealupack.com



# COPPICE SMOOTHWALL



RECTANGULAR

Product Image	Product Code	Top Out L (mm) x W (mm)	Top In L (mm) x W (mm)	Base L (mm) x W (mm)	Depth (mm)	Capacity	Base Style	Alternative Description & Comments
	<b>358SPL</b>	234x138	218x121	204x107	43	<b>1000cc</b>	Plain	271-43, Trivet Base available, See also 357SPL Clip-on Lid Available Available in Black
	<b>380SPL</b>	227x177	211x161	185x135	35	<b>1000cc</b>	Plain	
	<b>365SPL</b>	220x150	201x131	190x120	44	<b>1060cc</b>	Plain	272-44, Trivet Base available, See also 368SPL & 362SPL & 364SPL Clip-on Lid Available Available in Black
	<b>381SPL</b>	220x130	202x112	188x98	58	<b>1116cc</b>	Plain	232-58 See also 383SPL Clip-on Lid Available
	<b>367SPL</b>	265x162	247x144	236x133	37	<b>1200cc</b>	Plain	276-37, Trivet Base available, See also 369SPL, 382SPL & 384SPL Clip-on Dome Available
	<b>383SPL</b>	220x130	202x112	190x100	70	<b>1320cc</b>	Plain	233-70 See also 381SPL Clip-on Lid Available
	<b>364SPL</b>	220x150	201x131	186x116	60	<b>1360cc</b>	Plain	See also 362SPL & 365SPL & 368SPL Clip-on Lid Available
	<b>369SPL</b>	265x162	247x144	233x130	47	<b>1500cc</b>	Plain	276-47 See also 384SPL, 382SPL & 367SPL Clip-on Dome Available
	<b>368SPL</b>	220x150	202x132	184x114	70	<b>1600cc</b>	Plain	272-70 See also 362SPL & 365SPL & 364SPL Clip-on Lid Available
	<b>326SPL</b>	319x162	299x142	260x124	45	<b>1688cc</b>	Plain	1/3rd Gastro
	<b>328SPL</b>	270x190	254x174	242x162	45	<b>1760cc</b>	Plain	274-45
	<b>324SPL</b>	260x177	242x159	229x147	50	<b>1770cc</b>	Plain	D15-50, Match to Plastic Tray
	<b>325SPL</b>	277x215	258x196	243x180	44	<b>1800cc</b>	Plain	2277-1B Match to Plastic Tray




**NEW**



# COPPICE SMOOTHWALL



## RECTANGULAR

Product Image	Product Code	Top Out L (mm) x W (mm)	Top In L (mm) x W (mm)	Base L (mm) x W (mm)	Depth (mm)	Capacity	Base Style	Alternative Description & Comments
	<b>382SPL</b>	265x162	247x144	225x121	58	<b>1800cc</b>	Plain	276-58 See also 384SPL, 369SPL & 367SPL Clip-on Dome Available
	<b>386SPL</b>	293x193	275x175	260x160	50	<b>2200cc</b>	Plain	245-50, Internal Handles, See also 388SPL Clip-on Dome Available
	<b>384SPL</b>	265x162	247x144	225x122	75	<b>2300cc</b>	Plain	276-75 See also 382SPL, 369SPL & 367SPL Clip-on Dome Available
	<b>390SPL</b>	325x265	302x242	290x230	43	<b>2800cc</b>	Plain	1/2 Gastro
	<b>395SPL</b>	368x240	324x228	304x209	52	<b>3150cc</b>	Plain	
	<b>389SPL</b>	312x244	289x219	267x199	60	<b>3380cc</b>	Plain	244-60
	<b>388SPL</b>	293x193	279x179	250x156	90	<b>4000cc</b>	Plain	245-90 See also 386SPL Clip-on Dome Available



## OVAL

Product Image	Product Code	Top Out L (mm) x W (mm)	Top In L (mm) x W (mm)	Base L (mm) x W (mm)	Depth (mm)	Capacity	Base Style	Alternative Description & Comments
	<b>356SPL</b>	177x142	159x124	150x115	35	<b>500cc</b>	Plain	
	<b>370SPL</b>	198x108	181x91	167x77	45	<b>560cc</b>	Plain	282-45 See also 371SPL
	<b>371SPL</b>	198x108	182x92	166x76	50	<b>650cc</b>	Plain	282-50 See also 370SPL
	<b>375SPL</b>	218x126	202x110	182x93	60	<b>1000cc</b>	Plain	283-60 See also 377SPL
	<b>377SPL</b>	218x126	202x110	182x93	70	<b>1190cc</b>	Plain	283-70 See also 375SPL



# Prestige Range

## Key Benefits

- 100% recyclable and environmentally friendly
- Ovenable, Microwavable, Reheatable and Freezable to -40°C
- A natural conductor of heat-speeds up the cooking process and reduces energy costs
- Film sealable
- Plastic clip on lids can be supplied

Coppice's Prestige Range has a variety of shapes and sizes that are unique to the packaging industry. The trays come in a premium silver and a deluxe black & gold. Other colours can be used if the order is over the minimum order quantity.

## Premium

1301SPL	
Top Out	6.40x4.65
Top In	5.89x4.15
Base	5.67x3.94
Depth	1.26
Capacity	14.37



1305SPL	
Top Out	8.19x6.18
Top In	7.5x5.5
Base	7.2x5.19
Depth	1.25
Capacity	23.16



1320SPL	
Top Out	9.74x7.76
Top In	8.98x6.99
Base	8.5x6.54
Depth	1.77
Capacity	51.57



1325SPL	
Top Out	11.26x8.88
Top In	10.01x7.63
Base	10.43x8.05
Depth	1.77
Capacity	64 oz



CS-443230-500	
Top Out	14.49x9.74
Top In	12.72x8.82
Base	11.97x8.15
Depth	1.97
Capacity	109.39



## Deluxe

1301SBKGO	
Top Out	6.40x4.65
Top In	5.89x4.15
Base	5.67x3.94
Depth	1.26
Capacity	14.37



1305SBKGO	
Top Out	8.19x6.18
Top In	7.5x5.5
Base	7.2x5.19
Depth	1.25
Capacity	23.16



1320SBKGO	
Top Out	9.74x7.76
Top In	8.98x6.99
Base	8.5x6.54
Depth	1.77
Capacity	51.57



1325SBKGO	
Top Out	11.26x8.88
Top In	10.43x8.05
Base	10.01x7.6
Depth	1.77
Capacity	64 oz








### 1331SPL

	<b>3080</b>	<b>104.14</b>
	329x206	12.95x8.11
	312x189	12.28x7.44
	297x174	11.69x6.85
	57	2.24

D NR

100%



EC543100



### 389SPL

	<b>3320</b>	<b>112.26</b>
	312 x 244	12.28 x 9.60
	288 x 220	11.33 x 8.66
	262 x 194	10.31 x 7.63
	60	2.36

100%



### 1335SPL

	<b>3885</b>	<b>131.37</b>
	322x262.5	12.68x10.33
	298x238.5	11.73x9.39
	279.5x220	11.00x8.66
	60	2.36

100%



### 1334SPL

	<b>3716</b>	<b>125.65</b>
	293 x 193	11.54 x 7.60
	275 x 175	10.8 x 6.88
	260 x 160	10.24 x 6.30
	85	3.34

PL3650 RPL

100%



### PL 4000 R

	<b>4000</b>	<b>135.25</b>
	375x255	14.76 x 10.04
	355x235	13.98x9.25
	339x219	13.35 x 8.62
	59	2.32

100%

EC544000



### 1351SPL

	<b>2610</b>	<b>88.25</b>
	260x260	10.23x10.23
	241x241	9.48x9.48
	225x225	8.58x8.58
	50	1.96

100%



### DEVELOPMENT TRAY

	<b>980</b>	<b>16 / 16</b>
	227 x 177	8.93 x 6.96
	212 x 162	8.34 x 6.37
	190 x 145	7.48 x 5.70
	40	1.57

(Note - we can supply ovenable board or foilboard inserts to divide rectangular or oblong smoothwall trays)

100%



### DEVELOPMENT TRAY

	<b>424 / 309</b>	<b>16.7 / 12.2</b>
	226 x 177	8.93 x 7.00
	212 x 162	8.37 x 6.40
	188 x 137	7.43 x 5.43
	35.5	1.40

100%

FEATURES KEY: \* = LANCING, E = EMBOSSED, O = HOLE IN BASE, C = COLOURED, J = PRINTED, L = LACQUERED, P = PERSONALIZABLE, X = CUSTOMER EXCLUSIVE, R = RIDGED BASE, D = DIMPLED BASE, T = TRIVET, V = VISIOPAC®

# Smoothwall Foil Rounds & Chicken Trays

KEY VOLUME (cc & fl.oz.) TOP TOP BAS DEPTH (mm & in.)



**309SPL**

	550	18.59
	192	7.55
	182	7.16
	177	6.96
	22	0.86

\*

100%



**312SPL**

	715	24.17
	174	6.85
	154	6.06
	138	5.43
	43	1.69

TO 700RPL

100%



**1390SPL**

	1186	40.10
	243x184	9.56 x 7.24
	225x166	8.85 x 6.53
	214x155	8.42 x 6.10
	40	1.57

100%



**1391SPL**

	1235	41.76
	247x181	9.72 x 7.13
	230x164	9.06 x 6.46
	219 x 153	8.62 x 6.02
	40	1.57

100%



**315SPL**

	1260	42.60
	196	7.71
	180	7.08
	162	6.37
	55	2.16

100%



**1392SPL**

	1550	52.41
	270x190	10.63 x 7.48
	253x173	9.96 x 6.81
	240x160	9.45 x 6.3
	45	1.77

100%



**1393SPL**

	1681	56.84
	270x200	10.63 x 7.87
	253x183	9.96 x 7.2
	240x170	9.45 x 6.69
	45	1.77

100%

PL 1860 RPL

PL 1680 POULET



**1360SPL**

	1946	65.80
	276	10.86
	260	10.23
	240	9.44
	40	1.57

100%



**1394SPL**

	1910	64.58
	300 x 210	11.81 x 8.27
	283 x 193	11.14 x 7.6
	270 x 180	10.63 x 7.09
	45	1.77

100%



**1395SPL**

	2130	72.02
	316 x 221	12.44 x 8.7
	298 x 203	11.73 x 7.99
	285 x 190	11.22 x 7.48
	45	1.77

100%

PL 2130 POULET

# table top lidding machines

## Table top lidding machines

### *VS300 Variosealer Die Plate Version*

The VS300 model is supplied with a die custom for the tray to be sealed, with additional die plates available upon request. The trays are sealed with either a peelable film or sealable (welded) film.

The machine is switched on and the required temperature set on the regulator, when the temperature has been reached, the film which is mounted on the back of the machine on two support rollers is pulled over the top of the tray to be sealed which had been placed in the die plate. The sealing head is then lowered by hand and pressed down to seal the film to the tray, at the same time the film is cut from the main roll. The sealing head is then raised to the open position and the tray removed.

The VS300 lidding machine will work with all types of sealable food trays and films up to a maximum width of 190mm with a maximum tray length of 250mm.

#### General Applications

The VS type of tray sealing machine installations are typically found in supermarkets, local butchers and grocers shops producing ready meals, fresh and cooked meats, fish and vegetables.

#### Product Features

- Adjustable or Fixed temperature control as standard
- Digital adjustable control available as an optional extra
- Teflon coated sealing plate
- Stainless steel fabrication
- Twin reel film supports
- Quick change die plates (no tools required)



#### Technical Specification

Maximum film width:-	190mm	7.48inch
Sealing area:-	250 x 190mm	9.84 x 7.48inch
Electrics:-	240avc/3amp	240avc/3amp
Machine dimensions:-	605 x 255mm	23.81 x 10inch
Weight:-	10kgs	10kgs

## Film lidding

For MAP lidding of ready made trays for Flowpack and TFFS top webs.

#### Key features of film

##### Smoothwall Foils

Bespoke lidding film for plain and PET coated foils

- High Clarity
- High Barrier for MAP
- Easy Peel
- Printable
- Anti-Fog properties

##### Ovenable Board Tray

- High Clarity
- High Barrier
- Printable
- Strong peel
- Anti-Fog available with easy peel strength

##### Delight Board Tray

- High Clarity
- Printable
- Lock and Burst Peel available
- High Barrier available

# Accreditations

## Quality & Accreditations

Our commitment to quality is outstanding and recognised as a bench mark throughout the industry.

- All our customers benefit from our total commitment to quality.
- We have technical expertise in design of tooling and set-up. We insist on tight tolerances on gauge and stringent manufacturing standards.
- The result is a finished product we are proud of and one our customers can always rely on.
- We refuse to compromise quality for the sake of profit.
- For more than ten years, we have been leading all European container manufacturers with our commitment to hygiene.
- The workforce is certified by the Chartered Institute of Environment Health for food handling.

- **ISO 14001 Registered Firm**

- The company's green credentials include the training of all employees in environmental issues, the minimisation of material and energy wastage, controlled noise emissions, the promotion of recycling and the use of "clean" lubricants in production-which do not contain mineral hydrocarbons or GMOs (genetically modified organisms).

- **BRC Certified**

- Our certification against the BRC Global Standard means customers can be assured of our high levels of competence in all critical areas. The BRC accreditation is especially valuable to businesses who need to ensure paramount protection of their brand name and their branded food products: Coppice has made the utmost commitment to their responsibility as a packaging manufacturer. The BRC Global Standard Food is a single verification not only ensuring fulfilment of legal obligations and commitment to quality, but also consumer protection.

# accreditation

## Description & Availability of Products

Each Product purchased is sold subject to its Product Description which sets out additional Specific Conditions related to that Product including, without limitation, terms and conditions concerning estimated delivery dates and times, warranties, after-sales service and guarantees.

We will take all reasonable care to ensure that all details, descriptions and prices of Products appearing in this Catalogue/Product Brochure are correct at the time of print. Although we aim to keep availability of our Product Range at a very high service level, the information including Product Descriptions appearing in this Catalogue / Product Brochure at a particular time may not always reflect the position exactly at the moment you place an order. We cannot confirm the availability of a product or the price of a product until your order is accepted in accordance with our Order Acceptance Policy.

## Custom Tooling For New Shapes of Aluminium Foil Trays

Please note that new tools, designed to produce custom shapes of foil trays, which Coppice specifically agrees to construct or have constructed to produce one or more custom aluminium foil tray shapes for use exclusively in the production of goods for a specific customer or customers, remains the property of Coppice, and will remain in its possession and control, and any charges shall be for the use of such tooling only.











