

Stanpac Stanpac Stanpac Stanpac Stanpac Stanpac Stanpac Stanpac



STANPAC

Ice Cream Packaging

Product Catalogue

Packaging Perfection for over 60 Years.
stanpacnet.com • 905-957-3326



Updated July 31, 2017

Packaging Perfection for over 60 Years.
stanpacnet.com • 905-957-3326



Table of Contents

3 oz Cup	P 4-5
3 oz Cup Tab Lid Groove	P 6-7
3 oz Cup Spoon & Lid	P 8-9
3.5 oz Cup	P 10-11
3.5 oz Cup Tab Lid Groove	P 12-13
3.5 oz Cup Spoon & Lid	P 14-15
4 oz Cup	P 16-17
4 oz Cup Tab Lid Groove	P 18-19
4 oz Cup Spoon & Lid	P 20-21
8 oz Cup	P 22-23
12 oz Cup (Heat Seal/Plastic Lid)	P 24-25
12 oz Squat Cup & Lid	P 26-27
14 oz Cup	P 28-29
16 oz Cup	P 30-31
500 ml Cup	P 32-33
24 oz Cup	P 34-35
Quart Cup	P 36-37
Litre Cup	P 38-39
48 oz Cup Non Round	P 40-41
48 oz Cup	P 42-43
56 oz Cup Non Round	P 44-45
56 oz Cup	P 46-47
64 oz Cup Non Round	P 48-49
64 oz Cup	P 50-51
2 Litre Cup	P 52-53
Tab Lids	P 54-55
Disc Lids	P 56-57
Die Cut Heat Seal Lids	P 58-59


Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



3 oz Cup


3 oz / 89 ml Cup



Cup Properties:


Maximum Fill Volume: 4.21 oz / 125 ml
 Practical Volume: 3.0 oz / 89 ml
 Stack Height: 24.9" / 75 Cups
 Sidewall Material: 12.2 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm
 Bottom Material: 11.3 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm

75 mm Coverall & Plug Lid



75 mm Coverall Lid Properties:

Plastic Material: LLDPE



75 mm Plug Lid Properties:

Plastic Material: LLDPE



3 oz Cup

Packaging Configurations

3 oz / 89 ml Cup

3 oz Cups:

2,400 per case – 48,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
28 lbs per case
595 lbs per pallet
Pallet Dimensions: 48.13"x40"x97.38"

3 oz Cups: Food Service Pack

1,000 per case – 55,000 per pallet
11 cases per layer
5 layers per pallet
55 cases per pallet
11 lbs per case
640 lbs per pallet
Pallet Dimensions: 47.5"x41.63"x97.88"

75 mm Coverall & Plug Lid

75 mm Coverall Lid: Standard Pack

2,625 per case – 52,500 per pallet
4 cases per layer
5 layers per skid
20 cases per pallet
28 lbs per case
595 lbs per pallet
Pallet Dimensions: 48"x40"x90"

75 mm Coverall Lid: Food Service Pack

1,000 per case – 42,000 per pallet
7 cases per layer
6 layers per skid
42 cases per pallet
12 lbs per case
539 lbs per pallet
Pallet Dimensions: 48"x40"x88"


75 mm Plug Lid:

1,000 per case – 27,000 per pallet
9 cases per layer
3 layers per skid
27 cases per pallet
15 lbs per case
440 lbs per pallet
Pallet Dimensions: 48"x40"x43.56"



3 oz Cup Tab Lid Groove


3 oz / 89 ml Cup



Cup Properties:

Maximum Fill Volume: 4.21 oz / 125 ml
 Maximum Contained Volume (Bottom of Lid Groove)
 3.14 oz / 92 ml
 Practical Volume: 3.0 oz / 89 ml
 Stack Height: 17.306" / 50 Cups
 Sidewall Material: 12.2 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm
 Bottom Material: 11.3 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm

70 mm (2.76") Tab Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides,
 1/2 x 1/2 mm



3 oz Cup Tab Lid Groove Packaging Configurations

3 oz / 89 ml Cup

3 oz Cups:

2,400 per case – 48,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
28 lbs per case
595 lbs per pallet
Pallet Dimensions: 48.13"x40"x97.38"

70 mm (2.76") Tab Lid

70 mm Tab Lid:

10,000 per case – 330,000 per pallet
11 cases per layer
3 layers per pallet
33 cases per pallet
32 lbs per case
1091 lbs per pallet
Pallet Dimensions: 48"x40"x36"



Technical drawing of a tapered container. The top diameter is $\phi 2.964$. The bottom diameter is $\phi 2.371$. The height is 1.771. The top flange has a thickness of .127. The bottom flange has a thickness of .313. The side wall has a taper angle of 6.75°. The distance from the top edge to the start of the taper is .294. The distance from the top edge to the start of the taper is 2.725 (Inside of Lid Groove).


Maximum Fill Volume:	4.21 oz / 125 ml
Maximum Contained Volume (Bottom of Lid Groove)	3.14 oz / 92 ml
Practical Volume:	3.0 oz / 89 ml
Stack Height:	17.306" / 50 Cups
Sidewall Material:	12.2 PT, Polycoated 2 Sides, 3/4 x 1/2 mm
Bottom Material:	11.3 PT, Polycoated 2 Sides, 3/4 x 1/2 mm

Technical drawing of a circular part with a small protrusion. The main body is a circle with a diameter of $\phi 2.775$. A small protrusion at the top has a diameter of $\phi 0.320$ and a radius of $R0.020$ (TYP). The total height from the bottom of the circle to the top of the protrusion is 3.015.

Disc Material: 18 PT, Polyc coated 2 Sides,
1/2 x 1/2 mm

SECTION A-A

Plastic Material: LLDPE





3 oz Cup Spoon & Lid Packaging Configurations

3 oz / 89 ml Cup

3 oz Cups:

2,400 per case – 48,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
28 lbs per case
595 lbs per pallet
Pallet Dimensions: 48.13"x40"x97.38"

3 oz Cups: Food Service Pack

1,000 per case – 55,000 per pallet
11 cases per layer
5 layers per pallet
55 cases per pallet
11 lbs per case
640 lbs per pallet
Pallet Dimensions: 47.5"x41.63"x97.88"

70 mm (2.76") Tab Lid

70 mm Tab Lid:

10,000 per case – 330,000 per pallet
11 cases per layer
3 layers per pallet
33 cases per pallet
32 lbs per case
1091 lbs per pallet
Pallet Dimensions: 48"x40"x36"

75 mm Coverall Lid and Spoon

75 mm Coverall Lid: Standard Pack

2,625 per case – 52,500 per pallet
4 cases per layer
5 layers per skid
20 cases per pallet
28 lbs per case
595 lbs per pallet
Pallet Dimensions: 48"x40"x90"

75 mm Coverall Lid: Food Service Pack

1,000 per case – 42,000 per pallet
7 cases per layer
6 layers per skid
42 cases per pallet
12 lbs per case
539 lbs per pallet
Pallet Dimensions: 48"x40"x88"


60 mm Spoon:

10,000 per case
600,000 per pallet
20 cases per layer
3 layers per skid
60 cases per pallet
24.25 lbs per case
1490 lbs per pallet
Pallet Dimensions: 48"x42"x45"



3.5 oz Cup


3.5 oz / 104 ml Cup



Cup Properties:

Maximum Fill Volume: 4.69 oz / 139 ml
 Practical Volume: 3.5 oz / 104 ml
 Stack Height: 17.25" / 50 Cups
 Sidewall Material: 12.2 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm
 Bottom Material: 11.3 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm

75 mm Coverall Lid



75 mm Coverall Lid Properties:

Plastic Material: LLDPE

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



3.5 oz Cup

Packaging Configurations

3.5 oz / 104 ml Cup

3.5 oz Cups:

2,400 per case – 48,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
30 lbs per case
635 lbs per pallet
Pallet Dimensions: 48.13"x40"x97.38"

3.5 oz Cups: Food Service Pack

1,000 per case – 55,000 per pallet
11 cases per layer
5 layers per pallet
55 cases per pallet
11 lbs per case
640 lbs per pallet
Pallet Dimensions: 47.5"x41.63"x97.88"

75 mm Coverall Lid

75 mm Coverall Lid: Standard Pack

2,625 per case – 52,500 per pallet
4 cases per layer
5 layers per skid
20 cases per pallet
28 lbs per case
595 lbs per pallet
Pallet Dimensions: 48"x40"x90"


75 mm Coverall Lid: Food Service Pack

1,000 per case – 42,000 per pallet
7 cases per layer
6 layers per skid
42 cases per pallet
12 lbs per case
539 lbs per pallet
Pallet Dimensions: 48"x40"x88"



3.5 oz Cup Tab Lid Groove


3.5 oz / 104 ml Cup



Cup Properties:

Maximum Fill Volume: 4.69 oz / 139 ml
 Maximum Contained Volume (Bottom of Lid Groove)
 3.62 oz / 107 ml
 Practical Volume: 3.5 oz / 104 ml
 Stack Height: 17.6" / 50 Cups
 Sidewall Material: 12.2 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm
 Bottom Material: 11.3 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm

70 mm (2.76") Tab Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides,
 1/2 x 1/2 mm



3.5 oz Cup Tab Lid Groove Packaging Configurations

3.5 oz / 104 ml Cup

3.5 oz Cups:

2,400 per case – 48,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
30 lbs per case
635 lbs per pallet
Pallet Dimensions: 48.13"x40"x97.38"

70 mm (2.76") Tab Lid


70 mm Tab Lid:

10,000 per case – 330,000 per pallet
11 cases per layer
3 layers per pallet
33 cases per pallet
32 lbs per case
1091 lbs per pallet
Pallet Dimensions: 48"x40"x36"



3.5 oz Cup Spoon & Lid


3.5 oz / 104 ml Cup



Cup Properties:

Maximum Fill Volume: 4.69 oz / 139 ml
 Maximum Contained Volume (Bottom of Lid Groove)
 3.62 oz / 107 ml
 Practical Volume: 3.5 oz / 104 ml
 Stack Height: 17.6" / 50 Cups
 Sidewall Material: 12.2 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm
 Bottom Material: 11.3 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm


70 mm [2.76"] Tab Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides,
 1/2 x 1/2 mm

75 mm Coverall Lid and Spoon



75 mm Coverall Lid Properties:
 Plastic Material: LLDPE



60 mm Spoon:
 Wood



3.5 oz Cup Spoon & Lid

Packaging Configurations

3.5 oz / 104 ml Cup

3.5 oz Cups:

2,400 per case
48,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
30 lbs per case
635 lbs per pallet
Pallet Dimensions: 48.13"x40"x97.38"

3.5 oz Cups: Food Service Pack

1,000 per case
55,000 per pallet
11 cases per layer
5 layers per pallet
55 cases per pallet
11 lbs per case
640 lbs per pallet
Pallet Dimensions: 47.5"x41.63"x97.88"

70 mm (2.76") Tab Lid

70 mm Tab Lid:

10,000 per case – 330,000 per pallet
11 cases per layer
3 layers per pallet
33 cases per pallet
32 lbs per case
1091 lbs per pallet
Pallet Dimensions: 48"x 40"x36"

75 mm Coverall Lid and Spoon

75 mm Coverall Lid: Standard Pack

2,625 per case – 52,500 per pallet
4 cases per layer
5 layers per skid
20 cases per pallet
28 lbs per case
595 lbs per pallet
Pallet Dimensions: 48"x40"x90"

75 mm Coverall Lid: Food Service Pack

1,000 per case – 42,000 per pallet
7 cases per layer
6 layers per skid
42 cases per pallet
12 lbs per case
539 lbs per pallet
Pallet Dimensions: 48"x40"x88"


60 mm Spoon:

10,000 per case
600,000 per pallet
20 cases per layer
3 layers per skid
60 cases per pallet
24.25 lbs per case
1490 lbs per pallet
Pallet Dimensions: 48"x42"x45"



4 oz Cup


4 oz / 118 ml Cup



Cup Properties:

Maximum Fill Volume: 5.80 oz / 172 ml
 Practical Volume: 4.0 oz / 118 ml
 Stack Height: 23.56" / 50 Cups
 Sidewall Material: 12.2 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm
 Bottom Material: 11.3 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm


86 mm [3.39"] Heat Seal



Heat Seal Properties:

Paper Material: 70# Multiflex Gloss

82 mm Coverall Lid



82 mm Coverall Lid Properties:

Plastic Material: LLDPE



4 oz Cup

Packaging Configurations

4 oz / 118 ml Cup

4 oz Cups:

2,000 per case – 32,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
29 lbs per case
499 lbs per pallet
Pallet Dimensions: 48"x40"x99.5"

4 oz Cups: Food Service Pack

1,000 per case – 32,000 per pallet
8 cases per layer
4 layers per pallet
32 cases per pallet
14.6 lbs per case
502.2 lbs per pallet
Pallet Dimensions: 46.25"x40"x103.5"

86 mm (3.39") Heat Seal

86 mm Heat Seal:

8,100 per case – 550,800 per pallet
17 cases per layer
4 layers per pallet
68 cases per pallet
13.25 lbs per case
936 lbs per pallet
Pallet Dimensions: 48"x40"x42"

82 mm Coverall Lid

82 mm Coverall Lid:

Standard Pack

1,060 per case – 37,100 per pallet
7 cases per layer
5 layers per skid
35 cases per pallet
13 lbs per case
490 lbs per pallet
Pallet Dimensions: 48"x40"x88"

82 mm Coverall Lid:


Food Service Pack

1,000 per case – 35,000 per pallet
7 cases per layer
5 layers per skid
35 cases per pallet
12 lbs per case
455 lbs per pallet
Pallet Dimensions: 48"x40"x88"



4 oz Cup Tab Lid Groove


4 oz / 118 ml Cup



Cup Properties:

Maximum Fill Volume: 5.80 oz / 172 ml
 Maximum Contained Volume (Bottom of Lid Groove)
 4.18 oz / 124 ml
 Practical Volume: 4.0 oz / 118 ml
 Stack Height: 24.0" / 50 Cups
 Sidewall Material: 12.2 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm
 Bottom Material: 11.3 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm

75.5 mm (3.02") Tab Lid



Tab Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides,
 1/2 x 1/2 mm



4 oz Cup Tab Lid Groove Packaging Configurations

4 oz / 118 ml Cup

4 oz Cups:

2,000 per case – 32,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
29 lbs per case
499 lbs per pallet
Pallet Dimensions: 48"x40"x99.5"

75.5 mm (3.02") Tab Lid


75.5 mm Tab Lid:

10,000 per case – 360,000 per pallet
9 cases per layer
4 layers per pallet
36 cases per pallet
39 lbs per case
1439 lbs per pallet
Pallet Dimensions: 48"x40"x46"



4 oz Cup Spoon & Lid

4 oz / 118 ml Cup



Cup Properties:

Maximum Fill Volume: 5.80 oz / 172 ml

Maximum Contained Volume (Bottom of Lid Groove)

4.18 oz / 124 ml


Practical Volume: 4.0 oz / 118 ml

Stack Height: 24.0" / 50 Cups

Sidewall Material: 12.2 PT, Polycoated 2 Sides,
3/4 x 1/2 mm

Bottom Material: 11.3 PT, Polycoated 2 Sides,
3/4 x 1/2 mm


75.5 mm (3.02") Tab Lid



Tab Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides,
1/2 x 1/2 mm

82 mm Coverall Lid and Spoon



82 mm Coverall Lid Properties:

Plastic Material: LLDPE



60 mm Spoon:

Wood

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



4 oz Cup Spoon & Lid Packaging Configurations

4 oz / 118 ml Cup

4 oz Cups:

2,000 per case – 32,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
29 lbs per case
499 lbs per pallet
Pallet Dimensions: 48"x40"x99.5"

4 oz Cups: Food Service Pack

1,000 per case – 32,000 per pallet
8 cases per layer
4 layers per pallet
32 cases per pallet
14.6 lbs per case
502.2 lbs per pallet
Pallet Dimensions: 46.25"x40"x103.5"

75.5 mm (3.02") Tab Lid

75.5 mm Tab Lid:

10,000 per case – 360,000 per pallet
9 cases per layer
4 layers per pallet
36 cases per pallet
39 lbs per case
1439 lbs per pallet
Pallet Dimensions: 48"x40"x46"

82 mm Coverall Lid and Spoon

82 mm Coverall Lid: Standard Pack

1,060 per case – 37,100 per pallet
7 cases per layer
5 layers per skid
35 cases per pallet
13 lbs per case
490 lbs per pallet
Pallet Dimensions: 48"x40"x88"

82 mm Coverall Lid: Food Service Pack

1,000 per case – 35,000 per pallet
7 cases per layer
5 layers per skid
35 cases per pallet
12 lbs per case
455 lbs per pallet
Pallet Dimensions: 48"x40"x88"


60 mm Spoon:

10,000 per case
600,000 per pallet
20 cases per layer
3 layers per skid
60 cases per pallet
24.25 lbs per case
1490 lbs per pallet
Pallet Dimensions: 48"x42"x45"



8 oz Cup


8 oz / 237 ml Cup



Cup Properties:

Maximum Fill Volume: 8.6 oz / 254 ml
 Practical Volume: 8.0 oz / 237 ml
 Stack Height: 20.2" / 50 Cups
 Sidewall Material: 16 PT, Polycoated 2 Sides,
 1/2 x 1/2 mm
 Bottom Material: 11.3 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm


89 mm (3.51") Heat Seal



Heat Seal Properties:

Paper Material: 70# Multiflex Gloss

87 mm Coverall Lid



87 mm Coverall Lid Properties:

Plastic Material: LLDPE

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



8 oz Cup

Packaging Configurations

8 oz / 237 ml Cup

8 oz Cup:

1,000 per case – 24,000 per pallet
6 cases per layer
4 layers per pallet
24 cases per pallet
21 lbs per case
539 lbs per pallet
Pallet Dimensions: 48" x 40" x 88"

89 mm (3.51") Heat Seal

89 mm Heat Seal:

8,100 per case – 550,800 per pallet
17 cases per layer
4 layers per pallet
68 cases per pallet
13.25 lbs per case
936 lbs per pallet
Pallet Dimensions: 48"x40"x42"

87 mm Coverall Lid

87 mm Coverall Lid:

1,000 per case – 42,000 per pallet
7 cases per layer
6 layers per skid
42 cases per pallet
18.5 lbs per case
812 lbs per pallet
Pallet Dimensions: 48"x40"x77"

87 mm Coverall Lid:

Bulk Pack

2,100 per case – 50,400 per pallet
4 cases per layer
6 layers per skid
24 cases per pallet
26 lbs per case
659 lbs per pallet
Pallet Dimensions: 50"x41"x97"



12 oz Cup

Technical drawing of a truncated cone (frustum) with the following dimensions:

- Top diameter: $\varnothing 3.375$
- Bottom diameter: $\varnothing 2.190$
- Height: 4.600
- Top thickness: 0.131
- Bottom thickness: 0.346
- Side angle: 6.17°

Maximum Fill Volume: 12.6 oz / 373 ml
Practical Volume: 12.0 oz / 355 ml
Stack Height: 21.8" / 50 Cups
Sidewall Material: 16 PT, Polycoated 2 Sides,
3/4 x 1/2 mm
Bottom Material: 11.3 PT, Polycoated 2 Sides,
3/4 x 1/2 mm

Paper Material: 70# Multiflex Gloss

Technical drawing of a shaft with the following dimensions:

- Overall length: $\varnothing 3.380$
- Inner diameter: $\varnothing 2.960$
- Outer diameter: $\varnothing 3.428$
- Left shoulder height: .260
- Right shoulder height: .295
- Shaft diameter at shoulder: .024

Plastic Material: LLDPE



12 oz Cup

Packaging Configurations

12 oz / 355 ml Cup

12 oz Cups:

1,000 per case – 32,000 per pallet
8 cases per layer
4 layers per pallet
32 cases per pallet
25 lbs per case
835 lbs per pallet
Pallet Dimensions: 48"x45.38"x95"

89 mm (3.51") Heat Seal

89 mm Heat Seal:

8,100 per case – 550,800 per pallet
17 cases per layer
4 layers per pallet
68 cases per pallet
13.25 lbs per case
936 lbs per pallet
Pallet Dimensions: 48"x40"x42"

87 mm Coverall Lid

87 mm Coverall Lid:

1,000 per case – 42,000 per pallet
7 cases per layer
6 layers per skid
42 cases per pallet
18.5 lbs per case
812 lbs per pallet
Pallet Dimensions: 48"x40"x77"

87 mm Coverall Lid:


Bulk Pack

2,100 per case – 50,400 per pallet
4 cases per layer
6 layers per skid
24 cases per pallet
26 lbs per case
659 lbs per pallet
Pallet Dimensions: 50"x41"x97"



12 oz Squat


12 oz / 355 ml Cup



Cup Properties:

Maximum Fill Volume: 12.1 oz/ 359 ml
 Practical Volume: 12.0 oz/ 355 ml
 Stack Height: 22.9" / 50 cups
 Sidewall Material: 16 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm
 Bottom Material: 13.5 PT, Polycoated 2 sides,
 3/4 x 1/2 mm

Spiral Wound Lid:



Lid Properties:

Disc Material: Polycoated 1 side, Paperboard
 Tube Material: 3 ply paperboard

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



12 oz Squat

Packaging Configurations

12 oz / 355 ml Cup

12 oz Cups:

1000 per case - 24,000 per pallet
6 cases per layer
4 layers per pallet
24 cases per pallet
18 lbs per case
467 lbs per pallet
pallet dimensions: 48"x40"x100"

Spiral Wound Lid:

Spiral Wound Lid:


1000 per case - 12,000 per pallet
3 cases per layer
4 layers per pallet
12 cases per pallet
18 lbs per case
251 lbs per pallet
Pallet Dimensions: 48"x40"x85"



14 oz Cup




14 oz / 424 ml Cup



Cup Properties:

Maximum Fill Volume: 14.6 oz / 431 ml
 Practical Volume: 14.0 oz / 424 ml
 Stack Height: 22.8" / 50 Cups
 Sidewall Material: 16 PT, Polycoated 2 Sides,
 3/4 x 1/2 mm
 Bottom Material: 13.3 PT, Polycoated 2 Sides,
 3/4 x 1/2 mil


Spiral Wound Lid



Lid Properties:

Disc Material: Polycoated 1 Side, Paperboard
 Tube Material: 3 ply Paperboard

Secur Tec 100 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 16 PT board, Poly 2 Side,
 1/2 x 3/4 mil

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



14 oz Cup

Packaging Configurations



14 oz / 424 ml Cup

14 oz Cups:

1,000 per case – 24,000 per pallet
20 stacks of 50 cups each
6 cases per layer
4 layers per pallet
24 cases per pallet
28 lbs per case
707 lbs per pallet
Pallet Dimensions: 48"x40"x99.50"

Spiral Wound Lid

Spiral Wound Lid - Bulk Packed:

1,000 per case – 16,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
19 lbs per case
339 lbs per pallet
Pallet Dimensions: 48"x40"x102.50"

Spiral Wound Lid – Wrapped:

1,000 per case – 12,000 per pallet
20 stacks of 50 lids per stack
4 cases per layer
3 layers per pallet
12 cases per pallet
20 lbs per case
275 lbs per pallet
Pallet Dimensions: 48.13"x48.19"x66.63"

Secur Tec 100 Lid

Secur Tec 100 Pint Lid:


600 per case – 18,000 per pallet
20 stacks of 30 lids each
6 cases per layer
5 layers per skid
30 cases per pallet
14 lbs per case
455 lbs per pallet
Pallet Dimensions: 41"x50"x86"



16 oz Cup




16 oz / 473 ml Cup



Cup Properties:

Maximum Fill Volume: 16.1 oz / 476 ml
 Practical Volume: 16.0 oz / 473 ml
 Stack Height: 27.5" / 50 Cups
 Sidewall Material: 16 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm
 Bottom Material: 13.3 PT, Polycoated 2 Sides,
 3/4 X 1/2 mil


Spiral Wound Lid



Lid Properties:

Disc Material: Polycoated 1 Side, Paperboard
 Tube Material: 3 ply Paperboard

Secur Tec 100 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 16 PT board, Poly 2 Side,
 1/2 x 3/4 mil

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



16 oz Cup Packaging Configurations



16 oz / 473 ml Cup

16 oz Cups:

1,000 per case
18,000 per pallet
20 stacks of 50 cups each
6 cases per layer
3 layers per pallet
18 cases per pallet
36 lbs per case
683 lbs per pallet
Pallet Dimensions: 48"x40"x89.56"

Food Service Pack:

500 cups per case
20 stacks of 25 cups
15,000 per pallet
Each stack packed in a poly sleeve and taped closed
6 cases per layer
5 layers per pallet
30 cases per pallet
17.6 lbs per case
563 lbs per pallet
Pallet Dimensions: 48.19"x40"x87.38"

Food Service Combo Pack:

250 each cups and lids per case
10 stacks of 25 cups and 25 lids
5,000 each per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
15 lbs per case
335 lbs per pallet
Pallet Dimensions: 48"x40"x84.75"

Spiral Wound Lid

Spiral Wound Lid

Bulk packed:

1,000 per case - 16,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
19 lbs per case
339 lbs per pallet
Pallet Dimensions: 48"x40"x102.50"

Spiral Wound Lid - Wrapped:

1,000 per case - 12,000 per pallet
20 stacks of 50 lids per stack
4 cases per layer
3 layers per pallet
12 cases per pallet
20 lbs per case
275 lbs per pallet
Pallet Dimensions: 48.13"x48.19"x66.63"

Food Service Pack:

500 per case - 10,000 per pallet
20 stacks of 25 lids
6 cases per layer
4 layers per pallet
24 cases per pallet
10 lbs per case
275 lbs per pallet
Pallet Dimensions: 48"x40"x58"

Secur Tec 100 Lid

Secur Tec 100 Pint Lid:


600 per case - 18,000 per pallet
20 stacks of 30 lids each
6 cases per layer
5 layers per skid
30 cases per pallet
14 lbs per case
455 lbs per pallet
Pallet Dimensions: 41"x50"x86"



500 ml Cup




16.91 oz / 500 ml Cup



Cup Properties:

Maximum Fill Volume: 17.23 oz / 510 ml
 Practical Volume: 16.91 oz / 500 ml
 Stack Height: 15.42" / 25 Cups
 Sidewall Material: 16 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm
 Bottom Material: 13.3 PT, Polycoated 2 Sides,
 3/4 X 1/2 mil


Spiral Wound Lid



Lid Properties:

Disc Material: Polycoated 1 Side, Paperboard
 Tube Material: 3 ply Paperboard

Secur Tec 100 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 16 PT board, Poly 2 Side,
 1/2 x 3/4 mil



500 ml Cup

Packaging Configurations



16.91 oz / 500 ml Cup

500 ml Cups:

1,000 per case
18,000 per pallet
20 stacks of 50 cups each
6 cases per layer
3 layers per pallet
18 cases per pallet
36 lbs per case
683 lbs per pallet
Pallet Dimensions: 48" x 40" x 89.56"

Food Service Pack:

500 cups per case
20 stacks of 25 cups
10,000 per pallet
Each stack packed in a poly sleeve and taped closed
4 cases per layer
5 layers per pallet
20 cases per pallet
17 lbs per case
375 lbs per pallet
Pallet Dimensions: 48"x40"x84.75"

Spiral Wound Lid

Spiral Wound Lid

Bulk packed:

1,000 per case - 16,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
19 lbs per case
339 lbs per pallet
Pallet Dimensions: 48"x40"x102.50"

Spiral Wound Lid - Wrapped:

1,000 per case - 12,000 per pallet
20 stacks of 50 lids per stack
4 cases per layer
3 layers per pallet
12 cases per pallet
20 lbs per case
275 lbs per pallet
Pallet Dimensions: 48.13"x48.19"x66.63"

Food Service Pack:

500 per case - 10,000 per pallet
20 stacks of 25 lids
6 cases per layer
4 layers per pallet
24 cases per pallet
10 lbs per case
275 lbs per pallet
Pallet Dimensions: 48"x40"x58"

Secur Tec 100 Lid

Secur Tec 100 Pint Lid:

600 per case - 18,000 per pallet
20 stacks of 30 lids each
6 cases per layer
5 layers per skid
30 cases per pallet
14 lbs per case
455 lbs per pallet
Pallet Dimensions: 41"x50"x86"


Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



24 oz Cup


24 oz / 710 ml Cup



Cup Properties:

Maximum Fill Volume: 24.4 oz / 721ml
 Practical Volume: 24 oz / 710ml
 Stack Height: 24.7" / 50 cups
 Sidewall Material: 18 PT, Polycoated 2 Sides.
 3/4 x 1/2 mil
 Bottom Material: 14PT, Polycoated 2 Sides.
 3/4 x 1/2 mil

Spiral Wound Lid



Lid Properties:

Disc Material: Polycoated 1 side, Paperboard
 Tube Material: 3 ply paperboard



24 oz Cup

Packaging Configurations

24 oz / 710 ml Cup

24 oz cups:

500 per case
10,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
22 lbs per case
475 lbs per pallet
Pallet Dimensions: 40" x 48" x 80"

Spiral Wound Lid

Spiral Wound Lid- Bulk Packed:


500 per case
10,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
8 lbs per case
195 lbs per pallet
Pallet Dimensions: 40" x 48" x 85"



Quart Cup




32 oz / 946 ml Cup



Cup Properties:

Maximum Fill Volume: 32.53 oz / 962 ml
 Practical Volume: 32 oz / 946 ml
 Stack Height: 18.7" / 25 Cups
 Sidewall Material: 18 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm
 Bottom Material: 13.3 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm


Spiral Wound Lid



Lid Properties:

Disc Material: Polycoated 1 Side, Paperboard
 Tube Material: 3 ply Paperboard

Secur Tec 125 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 16 PT board, Poly 2 Side
 1/2 x 1/2 PT



Quart Cup Packaging Configurations



32 oz / 946 ml Cup

Quart Cups:

500 per case – 8,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
28 lbs per case
483 lbs per pallet
Pallet Dimensions: 48"x40"x85"

Food Service Pack: 500

500 cups per case
20 stacks of 25 cups
8,000 per pallet
Each stack packed in a poly sleeve and taped closed
16 cases per pallet
28 lbs per case
483 lbs per pallet
Pallet Dimensions: 48"x40"x85"

Food Service Combo Pack:

250 each cups and lids per case
10 stacks of 25 cups and 25 lids
4,000 each per pallet
Each stack packed in a poly sleeve and taped closed
16 cases per pallet
21 lbs per case
371 lbs per pallet
Pallet Dimensions: 48.5"x40"x82"

Spiral Wound Lid

Spiral Wound Lid – Bulk packed:

750 per case – 12,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
19 lbs per case
263 lbs per pallet
Pallet Dimensions: 48"x43.13"x72.25"

Food Service Pack: 500

500 lids per case
20 stacks of 25 cups
8,000 per pallet
Each stack packed in a poly sleeve and taped closed
16 cases per pallet
11 lbs per case
211 lbs per pallet
Pallet Dimensions:
49.13"x40"x67.38"

Spiral Wound Lid – Wrapped:

1,000 per case – 9,000 per pallet
20 stacks of 50 lids per stack
3 cases per layer
3 layers per pallet
9 cases per pallet
28 lbs per case
287 lbs per pallet
Pallet Dimensions: 55.50"x40"x78.25"

Secur Tec 125 Lid

Secur Tec 125 Lid:


600 per case – 9,600 per pallet
20 stacks of 30 lids each
4 cases per layer
4 layers per skid
16 case per pallet
18 lbs per case
325 lbs per pallet
Pallet Dimensions: 40"x48"x82"



Litre Cup




33.81 oz / Litre Cup



Cup Properties:

Maximum Fill Volume: 34.5 oz / 1021 ml
 Practical Volume: 33.8 oz / 1000 ml
 Stack Height: 19.0" / 25 Cups
 Sidewall Material: 18 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm
 Bottom Material: 13.3 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm


Spiral Wound Lid



Lid Properties:

Disc Material: Polycoated 1 Side, Paperboard
 Tube Material: 3 ply Paperboard

Secur Tec 125 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 16 PT board, Poly 2 Side
 1/2 x 1/2 PT

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



Litre Cup Packaging Configurations



33.81 oz / Litre Cup

Litre Cups:

500 per case – 8,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
28 lbs per case
483 lbs per pallet
Pallet Dimensions: 48"x40"x85"

Food Service Pack: 500

500 cups per case
20 stacks of 25 cups
8,000 per pallet
Each stack packed in a poly sleeve and taped closed
16 cases per pallet
28 lbs per case
483 lbs per pallet
Pallet Dimensions: 48"x40"x85"

Food Service Combo Pack:

250 each cups and lids per case
10 stacks of 25 cups and 25 lids
4,000 each per pallet
Each stack packed in a poly sleeve and taped closed
16 cases per pallet
21 lbs per case
371 lbs per pallet
Pallet Dimensions: 48.5"x40"x82"

Spiral Wound Lid

Spiral Wound Lid – Bulk packed:

750 per case – 12,000 per pallet
4 cases per layer
4 layers per pallet
16 cases per pallet
19 lbs per case
263 lbs per pallet
Pallet Dimensions: 48"x43.13"x72.25"

Food Service Pack: 500

500 lids per case
20 stacks of 25 cups
8,000 per pallet
Each stack packed in a poly sleeve and taped closed
16 cases per pallet
11 lbs per case
211 lbs per pallet
Pallet Dimensions:
49.13"x40"x67.38"

Spiral Wound Lid – Wrapped:

1,000 per case – 9,000 per pallet
20 stacks of 50 lids per stack
3 cases per layer
3 layers per pallet
9 cases per pallet
28 lbs per case
287 lbs per pallet
Pallet Dimensions: 55.50"x40"x78.25"

Secur Tec 125 Lid

Secur Tec 125 Lid:


600 per case – 9,600 per pallet
20 stacks of 30 lids each
4 cases per layer
4 layers per skid
16 case per pallet
18 lbs per case
325 lbs per pallet
Pallet Dimensions: 40"x48"x82"



48 oz Cup Non Round




48 oz / 1419.5 ml Cup



Cup Properties:

Maximum Fill Volume: 48.41 oz / 1431.65 ml
 Practical Volume: 48 oz / 1419.5 ml
 Stack Height: 18.98" / 40 Cups
 Sidewall Material: 18 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm
 Bottom Material: 17.4 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm


Non Round Composite Lid



Lid Properties:

Disc Material: 16 PT, Polycoated 1 Side, 3/4 mm
 Skirt Material: LLDPE

Secur Tec 176 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 18 PT board, Poly 2 Side
 1/2 x 3/4 PT



48 oz Cup Non Round

Packaging Configurations



48 oz / 1419.5 ml Cup

48 oz Cups:

400 per case – 7,200 per pallet
6 cases per layer
3 layers per pallet
18 cases per pallet
27.5 lbs per case
585 lbs per pallet
Pallet Dimensions: 48"x40"x86"

Non Round Composite Lid

Non Round Composite Lid:

400 per case – 7,200 per pallet
3 cases per layer
6 layers per skid
18 cases per pallet
16 lbs per case
323 lbs per pallet
Pallet Dimensions: 48"x45.38"x95.76"

Secur Tec 176 Lid

Secur Tec 176 Lid:


300 per case – 5,400 per pallet
10 stacks of 30 lids each
3 cases per layer
6 layers per skid
18 case per pallet
18 lbs per case
359 lbs per pallet
Pallet Dimensions: 48"x45.38"x95.76"



48 oz Cup




48 oz / 1.42 L Cup



Cup Properties:

Maximum Fill Volume: 48.2 oz / 1425 ml
 Practical Volume: 48 oz / 1420 ml
 Stack Height: 28.7" / 50 Cups
 Sidewall Material: 18 PT, Polycoated 2 Sides,
 1/2 X 1/2 mm
 Bottom Material: 18 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm


Spiral Wound Lid



Lid Properties:

Disc Material: Polycoated 1 Side, Paperboard
 Tube Material: 3 ply Paperboard

Secur Tec 160 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 18 PT board, Poly 2 Side,
 1/2 x 1/2 mil

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



48 oz Cup

Packaging Configurations



48 oz / 1.42 L Cup

48 oz Cups:

300 per case – 6,300 per pallet
7 cases per layer
3 layers per pallet
21 cases per pallet
23 lbs per case
518 lbs per pallet
Pallet Dimensions: 48"x40"x94"

Spiral Wound Lid

Spiral Wound Lid:

300 per case – 6,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
17 lbs per case
375 lbs per pallet
Pallet Dimensions: 50.13"x40"x102.38"

Secur Tec 160 Lid

Secur Tec 160 Lid:


150 per case – 6,300 per pallet
7 cases per layer
6 cases per pallet
42 cases per pallet
12 lbs per case
539 lbs per pallet
Pallet Dimensions: 48"x40"x84"



56 oz Cup Non Round




56 oz / 1.65 L Cup



Cup Properties:

Maximum Fill Volume: 56.015 oz / 1657 ml
 Practical Volume: 56 oz / 1656 ml
 Stack Height: 14.0" / 25 Cups
 Sidewall Material: 18 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm
 Bottom Material: 13.3 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm


Non Round Composite Lid



Lid Properties:

Disc Material: 16 PT, Polycoated 1 Side, 3/4 mm
 Skirt Material: LLDPE

Secur Tec 176 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 18 PT board, Poly 2 Side
 1/2 x 3/4 PT

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



56 oz Cup Non Round Packaging Configurations



56 oz / 1.65 L Cup

56 oz Cups:

400 per case – 7,200 per pallet
6 cases per layer
3 layers per pallet
18 cases per pallet
31 lbs per case
593 lbs per pallet
Pallet Dimensions: 40"x48"x81"

Non Round Composite Lid

Non Round Composite Lid:

400 per case – 7,200 per pallet
3 cases per layer
6 layers per skid
18 cases per pallet
16 lbs per case
323 lbs per pallet
Pallet Dimensions: 48"x45.38"x95.76"

Secur Tec 176 Lid

Secur Tec 176 Lid:


300 per case – 5,400 per pallet
10 stacks of 30 lids each
3 cases per layer
6 layers per skid
18 case per pallet
18 lbs per case
359 lbs per pallet
Pallet Dimensions: 48"x45.38"x95.76"



56 oz Cup



56 oz / 1.65 L Cup



Cup Properties:

Maximum Fill Volume: 56.2 oz / 1662 ml
 Practical Volume: 56 oz / 1656 ml
 Stack Height: 28.3" / 50 Cups
 Sidewall Material: 18 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm
 Bottom Material: 17.4 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm


Spiral Wound Lid



Lid Properties:

Disc Material: Polycoated 1 Side, Paperboard
 Tube Material: 3 ply Paperboard

Secur Tec 160 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 18 PT board, Poly 2 Side,
 1/2 x 1/2 mil

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



56 oz Cup

Packaging Configurations



56 oz / 1.65 L Cup

56 oz Cups:

300 per case – 6,300 per pallet
7 cases per layer
3 layers per pallet
21 cases per pallet
25 lbs per case
560 lbs per pallet
Pallet Dimensions: 48"x40"x94"

Spiral Wound Lid

Spiral Wound Lid:

300 per case – 6,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
17 lbs per case
375 lbs per pallet
Pallet Dimensions: 50.13"x40"x102.38"

Secur Tec 160 Lid


Secur Tec 160 Lid:

150 per case – 6,300 per pallet
7 cases per layer
6 cases per pallet
42 cases per pallet
12 lbs per case
539 lbs per pallet
Pallet Dimensions: 48"x40"x84"



64 oz Cup Non Round


64 oz / 1.89 L Cup



Cup Properties:

Maximum Fill Volume: 64.19 oz / 1.898 L
 Practical Volume: 64 oz / 1.89 L
 Stack Height: 14.7" / 25 Cups
 Sidewall Material: 20 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm
 Bottom Material: 18 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm


Non Round Composite Lid



Lid Properties:

Disc Material: 16 PT, Polycoated 1 Side, 3/4 mm
 Skirt Material: LLDPE

Secur Tec 176 Lid



Lid Properties:

Plastic Material: LLDPE
 Paper Material: 18 PT board, Poly 2 Side
 1/2 x 3/4 PT

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



64 oz Cup Non Round

Packaging Configurations

64 oz / 1.89 L Cup

64 oz Cups:

400 per case – 7,200 per pallet
6 cases per layer
3 layers per pallet
18 cases per pallet
31 lbs per case
593 lbs per pallet
Pallet Dimensions: 48.94"x40"x82.38"

Non Round Composite Lid

Non Round Composite Lid:

400 per case – 7,200 per pallet
3 cases per layer
6 layers per skid
18 cases per pallet
16 lbs per case
323 lbs per pallet
Pallet Dimensions: 48"x45.38"x95.76"

Secur Tec 176 Lid


Secur Tec 176 Lid:

300 per case – 5,400 per pallet
10 stacks of 30 lids each
3 cases per layer
6 layers per skid
18 case per pallet
18 lbs per case
359 lbs per pallet
Pallet Dimensions: 48"x45.38"x95.76"



64 oz Cup

64 oz / 1.89 L Cup



Cup Properties:

Maximum Fill Volume: 64 oz / 1893 ml
 Practical Volume: 64 oz / 1893 ml
 Stack Height: 18.31" / 25 Cups
 Sidewall Material: 18 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm
 Bottom Material: 18 PT, Polycoated 2 Sides,
 3/4 X 1/2 mm

Spiral Wound Lid



Lid Properties:

Disc Material: Polycoated 1 Side, Paperboard
 Tube Material: 3 ply Paperboard



64 oz Cup

Packaging Configurations

64 oz / 1.89 L Cup

64 oz Cups:

300 per case – 3,600 per pallet
3 cases per layer
4 layers per pallet
12 cases per pallet
28 lbs per case
371 lbs per pallet
Pallet Dimensions: 48.05"x40.88"x83"

64 oz Cups:

Food Service

252 per case – 3,024 per pallet
3 cases per layer
4 layers per pallet
12 cases per pallet
23.4 lbs per case
325.8 lbs per pallet
Pallet Dimensions: 48"x40.88"x75.40"

Spiral Wound Lid

Spiral Wound Lid:


252 per case – 3,024 per pallet
3 cases per layer
4 layers per pallet
12 cases per pallet
16 lbs per case
227 lbs per pallet
Pallet Dimensions: 48.25"x40"x88"



2 Litre Cup




67.63 oz / 2 Litre Cup



Cup Properties:

- Maximum Fill Volume: 2.03 LT, 2030 ml
- Practical Volume: 2 LT, 2000 ml
- Stack Height:
- Sidewall Material: 23 PT, Polycoated 2 Sides, 3/4 X 1/2 mm
- Bottom Material: 18 PT, Polycoated 2 Sides, 3/4 X 1/2 mm


Spiral Wound Lid



Lid Properties:

- Disc Material: Polycoated 1 Side, Paperboard
- Tube Material: 3 ply Paperboard

Secur Tec 160 Lid



Lid Properties:

- Plastic Material: LLDPE
- Paper Material: 18 PT board, Poly 2 Side, 1/2 x 1/2 mil



2 Litre Cup

Packaging Configurations

67.63 oz / 2 Litre Cup

Cups:

300 per case – 6,300 per pallet
7 cases per layer
3 layers per pallet
21 cases per pallet
27 lbs per case
602 lbs per pallet
Pallet Dimensions: 48"x40"x82"

Spiral Wound Lid

Spiral Wound Lid:

300 per case – 6,000 per pallet
4 cases per layer
5 layers per pallet
20 cases per pallet
17 lbs per case
375 lbs per pallet
Pallet Dimensions: 50.13"x40"x102.38"

Secur Tec 160 Lid


Secur Tec 160 Lid:

150 per case – 6,300 per pallet
7 cases per layer
6 cases per pallet
42 cases per pallet
12 lbs per case
539 lbs per pallet
Pallet Dimensions: 48"x40"x84"



Tab Lids


60 mm (2.33")
Tab Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm


70 mm (2.76")
Tab Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm


75.5 mm (2.98")
Tab Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm


76.5 mm (3.02")
Tab Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm

89 mm (3.51")
Tab Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



Tab Lids

Packaging Configurations

60 mm (2.33")
Tab Lid

60 mm (2.33") Tab Lid

10,000 per case - 330,000 per pallet
11 cases per layer
3 layers per pallet
33 cases per pallet

26 lbs per case
893 lbs per pallet
Pallet Dimensions: 48"x40"x38"

70 mm (2.76")
Tab Lid

70 mm (2.76") Tab Lid

10,000 per case - 330,000 per pallet
11 cases per layer
3 layers per pallet
33 cases per pallet

32 lbs per case
1091 lbs per pallet
Pallet Dimensions: 48"x40"x36"

75.5 mm (2.98")
Tab Lid

75.5 mm (2.98") Tab Lid

10,000 per case - 360,000 per pallet
9 cases per layer
4 layers per pallet
36 cases per pallet

39 lbs per case
1439 lbs per pallet
Pallet Dimensions: 48"x40"x46"

76.5 mm (3.02")
Tab Lid

76.5 mm (3.02") Tab Lid

10,000 per case - 360,000 per pallet
9 cases per layer
4 layers per pallet
36 cases per pallet

39 lbs per case
1439 lbs per pallet
Pallet Dimensions: 48"x40"x46"

89 mm (3.51")
Tab Lid

89 mm (3.51") Tab Lid


6,000 per case - 162,000 per pallet
9 cases per layer
3 layers per pallet
27 cases per pallet

32 lbs per case
899 lbs per pallet
Pallet Dimensions: 48"x40"x36"



Disc Lids


52.2 mm
(2.07")
Disc Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm


53.5 mm
(2.11")
Disc Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm


64 mm
(2.52")
Disc Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm


66.5 mm
(2.62")
Disc Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm


68 mm
(2.68")
Disc Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm


69.5 mm
(2.74")
Disc Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm

76.5 mm
(3.02")
Disc Lid



Lid Properties:

Disc Material: 18 PT, Polycoated 2 Sides
1/2 x 1/2 mm



Disc Lids

Packaging Configurations

52.2 mm
(2.07")
Disc Lid

52.2 mm (2.07") Disc Lid
10,000 per case - 480,000 per pallet
16 cases per layer
3 layers per pallet

48 cases per pallet
26 lbs per case
1283 lbs per pallet
Pallet Dimensions: 48"x40"x36"

53.5 mm
(2.11")
Disc Lid

53.5 mm (2.17") Disc Lid
10,000 per case - 480,000 per pallet
16 cases per layer
3 layers per pallet

48 cases per pallet
26 lbs per case
1283 lbs per pallet
Pallet Dimensions: 48"x40"x36"

64 mm
(2.52")
Disc Lid

64 mm (2.52") Disc Lid
10,000 per case - 330,000 per pallet
11 cases per layer
3 layers per pallet

33 cases per pallet
28 lbs per case
959 lbs per pallet
Pallet Dimensions: 48"x40"x36"

66.5 mm
(2.62")
Disc Lid

66.5 mm (2.62") Disc Lid
10,000 per case - 330,000 per pallet
11 cases per layer
3 layers per pallet

33 cases per pallet
31 lbs per case
1058 lbs per pallet
Pallet Dimensions: 48"x40"x36"

68 mm
(2.68")
Disc Lid

68 mm (2.68") Disc Lid
10,000 per case - 330,000 per pallet
11 cases per layer
3 layers per pallet

33 cases per pallet
32 lbs per case
1091 lbs per pallet
Pallet Dimensions: 48"x40"x36"

69.5 mm
(2.74")
Disc Lid

69.5 mm (2.74") Disc Lid
10,000 per case - 330,000 per pallet
11 cases per layer
3 layers per pallet

33 cases per pallet
32 lbs per case
1091 lbs per pallet
Pallet Dimensions: 48"x40"x36"

76.5 mm
(3.02")
Disc Lid

76.5 mm (3.02") Disc Lid
10,000 per case - 360,000 per pallet
9 cases per layer
4 layers per pallet


36 cases per pallet
38 lbs per case
1403 lbs per pallet
Pallet Dimensions: 48"x40"x46"



Die Cut Heat Seal Lids




72 mm
(2.84")
Heat Seal



Lid Properties:

Paper Material: 64# w/ Hot Melt Adhesive


73 mm
(2.89")
Heat Seal



Lid Properties:

Paper Material: 64# w/ Hot Melt Adhesive


86 mm
(3.39")
Heat Seal



Lid Properties:

Paper Material: 70# Multiflex Gloss


89 mm
(3.51")
Heat Seal



Lid Properties:

Paper Material: 70# Multiflex Gloss


92 mm
(3.63")
Heat Seal



Lid Properties:

Paper Material: 70# Multiflex Gloss

99 mm
(3.90")
Heat Seal



Lid Properties:

Paper Material: 70# Multiflex Gloss

Packaging Perfection for over 60 Years.

stanpacnet.com • 905-957-3326



Die Cut Heat Seal Lids Packaging Configurations

72 mm
(2.84")
Heat Seal

72 mm (2.84") Round Die Cut Heat Seal Lid

35,000 per case - 1,260,000 per pallet
9 cases per layer
4 layers per pallet

36 cases per pallet
42 lbs per case
1512 lbs per pallet
Pallet Dimensions: 48"x40"x46"

73 mm
(2.89")
Heat Seal

73 mm (2.89") Round Die Cut Heat Seal Lid

36,000 per case - 1,296,000 per pallet
9 cases per layer
4 layers per pallet

36 cases per pallet
44 lbs per case
1584 lbs per pallet
Pallet Dimensions: 48"x40"x46"

86 mm
(3.39")
Heat Seal

86 mm (3.39") Teardrop Heat Seal Lid

8,100 per case - 550,800 per pallet
17 cases per layer
4 layers per pallet

68 cases per pallet
13.25 lbs per case
936 lbs per pallet
Pallet Dimensions: 48"x40"x42"

89 mm
(3.51")
Heat Seal

89 mm (3.51") Teardrop Heat Seal Lid

8,100 per case - 550,800 per pallet
17 cases per layer
4 layers per pallet

68 cases per pallet
13.25 lbs per case
936 lbs per pallet
Pallet Dimensions: 48"x40"x42"

92 mm
(3.63")
Heat Seal

92 mm (3.63") Teardrop Heat Seal Lid

8,100 per case - 550,800 per pallet
17 cases per layer
4 layers per pallet

68 cases per pallet
17 lbs per case
1191 lbs per pallet
Pallet Dimensions: 48"x40"x44"

99 mm
(3.90")
Heat Seal

99 mm (3.90") Teardrop Heat Seal Lid

8,100 per case - 550,800 per pallet
17 cases per layer
4 layers per pallet

68 cases per pallet
22 lbs per case
1531 lbs per pallet
Pallet Dimensions: 48"x40"x44"



Your complete source for ice cream packaging

Smithville, Ontario • Brenham, Texas
stanpacnet.com • 905-957-3326